

zenithinteriors.com

KISSEN Workstation

Zenith

Features:

Derived from the German word for 'cushion', Kissen Workstations provide a soft design language for the workplace. The high performance understructure makes economic use of components while maximising setting options. These options include table heights, sizes, worktop shapes and leg orientations.

Kissen Workstation is engineered to optimise team based working with 90 ° and 180 ° configuration options and customisation to enrich the work environment.

Options:

- 90° & 180° configurations
- Solid timber leg
- Powder coated aluminium frame
- Linear or 45° leg
- Worktop in 25mm
- Shark nose edge or square edge tops
- CTRL Rail compatibility
- Precinct and S30 Screens
- Cable management: Omni Duct / Omni Duct Lite, 96mm duct, Cable sleeve & Cable hub
- Floorsight pucks and sensors

Design: ZENITH DESIGN STUDIO

Warranty: 10 years

Certification: GECA, Greenguard, PEFC

Leg Finishes:



Timber



Aluminium

Finishes:

Worktop: 25mm laminate, veneer or custom top

Castors: Black for black legs and silver for all other leg finishes

Felt basket: Grey and charcoal PET

Omni Duct / Omni Duct Lite: Powder coated to match frame

Cable sleeve: Black, white or grey

Custom colours available upon request

Stocked models and colours may vary

Powder Coat Leg & Frame:



Cool White
(Satin/
Fine Texture)



Warm White
(Matt)



Cool Grey
(Satin/
Fine Texture)



Gum Grey
(Fine Texture)



Monument
(Matt)



Black
(Satin/ Matt/
Fine Texture)



Chocolate
(Matt/
Fine Texture)



Burnt Umber
(Matt/
Fine Texture)



Blush Pink
(Matt/
Fine Texture)



Rust
(Matt/
Fine Texture)



Sky Blue
(Matt/
Fine Texture)



Indigo
(Matt/
Fine Texture)





Olive
(Matt/
Fine Texture)

Solid Timber Leg:



American
Oak

90 Degree




3 End Left Hand

Width Range: 1200 - 2700mm
Length Range: 1300 - 2700mm
Depth Range: 750 - 900mm
Height: 720mm (750mm Asia only)

3 End Right Hand



Width Range: 1200 - 2700mm
Length Range: 1300 - 2700mm
Depth Range: 750 - 900mm
Height: 720mm (750mm Asia only)



Pod of Two

3 End Left Hand & 3 End Right Hand

90 Degree Screens




Precinct Screen

90 Degree 3 End

CTRL Screen

90 Degree 3 End

180 Degree




180 Degree



Length Range: 1200 - 2700mm

Depth Range: 750 - 900mm


Height: 720mm (750mm Asia only)




Pod of 2




Pod of 4



Pod of 10



Pod of 6




Pod of 12


Pod of 8

Note: Overall depth of Pod dependant on screen type and gap.


180 Degree




Run of 2




Run of 3



Run of 4




Run of 5



Run of 6



Note: Overall width of runs dependant on screen type and gap.

Pods with Touch Down End




Pod of 2 - 1 Touch Down End


Length Range: 1200 - 1600mm
Worktop Depth Range: 750 - 900mm
Touch Down Width Range: 700 - 800mm
Height: 720mm (750mm Asia only)
Top shapes: Emerald or Rectangle




Pod of 4 - 1 Touch Down End




Pod of 6 - 1 Touch Down End



Pod of 2 - 2 Touch Down Ends




Pod of 4 - 2 Touch Down Ends



Pod of 6 - 2 Touch Down Ends


Note: Overall depth of Pod dependant on screen type and gap.

180 Degree Screens




S30 Screen

180 Degree




S30 Screen

180 Degree Pod of 2




Precinct Screen

180 Degree




Precinct Screen

180 Degree Pod of 2



CTRL Screen




180 Degree



CTRL Screen

180 Degree Pod of 2

Cable Management
Omni Duct




Omni Duct

Width Range: 300mm
Height: 88.5mm

Omni Duct

2 GPO Insert


4 GPO Insert




Omni Duct Lite

Width Range: 300mm
Height: 88.5mm


Omni Duct Lite



90-POD2-T with Omni Duct




180-POD2 with Omni Duct




180-POD4-TD with Omni Duct

Felt Basket




Max GPO box dimensions 150mm wide x
400mm length x 120mm deep


**Cable Management
96mm Duct**



**90-3END-LH with
96mm Duct**




**90-POD2-T with
96mm Duct**




**180 Degree Pod of 4
with 96mm Duct**


CTRL Rail




**90-3END-LH with
Ctrl Screen Rail**




**90-3END-LH with
Double Sided Ctrl Rail (1 way brackets)**



**90-POD2-T with Double
Sided Ctrl Rail (SLS)**



**90-PO2-T with
Ctrl Screen Rail**



**180-POD2 with Ctrl
and Umbilical**