

MAKR

Storage & Divider System



Features:

Agile flexible spaces require highly configurable storage solutions, and MAKR Storage & Divider System fulfills this need with finesse. Its modular design allows for effortless customisation, enabling businesses to tailor their storage layout to suit evolving demand. Available in four unit heights, Low, Mid, Tall & High.

Through strategic placement, MAKR storage units also delineate specific work zones, fostering a sense of privacy for diverse work styles and tasks.

Be the maker of your storage solution and make your office work for you with MAKR.

Component Options:

- Open Units
- Joinery Cupboards with pull handles or push latch (lockable)
- Internal Shelving & Dividers
- Side/Back Panels
- Whiteboard
- Planter Units
- Shelving

Design: ZENITH DESIGN STUDIO

Warranty: 5 years

Certifications: GECA, GREENGUARD

Finishes:

Frame & Metal Shelving: Powder coated in Zenith house Fine Texture range

Laminate Shelving: 25mm Zenith house laminates

Open unit, Cupboards, Internal shelves/Dividers: 18mm Zenith house laminates

Planter & Door Handle: Powder coated in Zenith house Fine Texture range (matching frame colour)

Side/Back Panels: Fabric wrapped panel: Upholstered in Zenith Standard fabric range
Metal panels: Powder coated in Zenith house Fine Texture range (matching frame colour)
Sonic Board panel: 12mm Zenith house Sonic Board range
Whiteboard: White writable surface (non-magnetic)

Refer to page 2 for Finishes options

Finishes

Zenith House Fine Texture Range



Cool White



Cool Grey



Gum Grey



Black



Chocolate



Burnt Umber



Blush Pink



Rust



Sky Blue



Indigo



Olive

Zenith House Fabrics Range

Zenith

- Woven

Maharam

- Meld
- Methaphor

Kvadrat

- Atlas
- Canvas
- Remix 3
- Relate Screen

At work with Camira

- Cara
- Carlow
- Artisan
- Momentum
- Quest
- Sumi
- Mainline Flax
- Precinct
- Bond

Refer to [Zenith House Fabric/Leather Specification](#) to view the above ranges.

Zenith House Sonic Board



Black
ZPET_003



Ash
ZPET_007



Light Grey
ZPET_004



Silver
ZPET_006



Milky White
ZPET_009

Zenith House Laminates Range

Laminex available in 18 or 25mm

Polytec available in 18mm only

Laminex Flint Finish

- Aries
- Battalion
- Black
- Charcoal
- Coastal Sunrise
- Curly Birch
- Dansk Maple
- Fossil
- Fox
- French Navy
- Ghostgum
- Golden Wattle
- Greystone
- Moleskin
- Moroccan Clay
- New Graphite
- Otway
- Oyster Grey
- Parchment
- Polar White
- Portsea
- Rock Maple
- Select Beech
- Silver Ash
- Terril
- Tornado
- White
- Young Beech

Polytec Matt Finish

- Artisan Oak
- Belgian Oak
- Black
- Blossom White
- Cavia Lini
- Gesso Lini
- Maison Oak
- Natural Oak
- Natural White
- Nickel
- Notaio Walnut
- Nouveau Grey
- Oyster Grey
- Parchment
- Polar White
- Prime Oak
- Rocco Lini
- Shannon Oak
- Soft Walnut
- Stone Grey
- Titanium
- Truffle Lini
- Tuross Oak

Refer to [Website](#)


Laminex Natural Finish

- Alaskan
- Black Birchply
- Burnished Wood
- Calm Oak
- Classic Oak
- Danish Walnut
- Elegant Oak
- Fox Teakwood
- Lava Grey
- Lustrous Elm
- Milkwood
- Natural Walnut
- Olivine
- Oyster Linea
- Pillarbox
- Planked Urban Oak
- Raw Birchply
- Rural Oak
- Seasoned Oak
- Spinifex
- Sublime Teak
- Zincworks

Refer to [Website](#)


Components

Planters



Shallow Planter

OW 800/900mm
OD 440mm
OH 200mm




Full Tier Planter

OW 800/900mm
OD 440mm
OH 395mm


*Note: Shallow planters are designed to be fixed on the 2nd tier upwards.

Shelving



Metal


OW 800/900mm
OD 440mm
OH 25mm



Laminate


OW 800/900mm
OD 440mm
OH 25mm

Side/Back Panels




Back Panel Metal

OW 800/900mm
OD 1mm
OH 370mm




Back Panel Fabric/Sonic Board

OW 800/900mm
OD 12mm
OH 370mm



Side Panel

OW 430mm
OD 12mm
OH 370mm




Whiteboard

OW 800/900mm
OD 20mm
OH 1210mm

*Note: Against wall: Back panel only
Freestanding: Front/Back panel only


Components

Joinery




Open Unit

OW 800/900mm
OD 440mm
OH 420mm




Single Cupboard

OW 800/900mm
OD 460mm
OH 420mm




Low Cupboard

OW 800/900mm
OD 460mm
OH 815mm




Mid Cupboard

OW 800/900mm
OD 460mm
OH 1210mm




Tall Cupboard

OW 800/900mm
OD 460mm
OH 1605mm



High Cupboard Type A

OW 800/900mm
OD 460mm
OH 2000mm




High Cupboard Type B

OW 800/900mm
OD 460mm
OH 2000mm

*Note: Joinery Cupboards to include handle and locking options. All units can be lockable with 'keyed alike' or 'keyed to differ' locks. The 'LH and RH door lock' is an individual lock on each cupboard door and can only be used when there is a vertical divider within the cupboard. Joinery cupboards have the option for internal dividers.


Dimensions

Low Unit Standard Configurations




Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 915mm



Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 915mm



Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 915mm

*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.




Cupboard base units - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 915mm




Cupboard base units - 3 Bay

OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 915mm




Cupboard base units - 4 Bay

OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 915mm




Cupboard & Open base - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 915mm



Cupboard & Open base - 3 Bay

OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 915mm




Cupboard & Open base - 4 Bay

OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 915mm


Dimensions

Mid Unit Standard Configurations




Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 1310mm



Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 1310mm



Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 1310mm

*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.



Cupboard & Open base - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 1310mm



Cupboard & Open base - 3 Bay

OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 1310mm




Cupboard & Open base - 4 Bay

OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 1310mm


Dimensions

Tall Unit Standard Configurations




Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 1705mm



Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 1705mm



Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 1705mm

*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.




Cupboard base units- 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 1705mm




Cupboard base units- 3 Bay

OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 1705mm




Cupboard base units- 4 Bay

OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 1705mm




Cupboard & Open base - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 1705mm



Cupboard & Open base - 3 Bay

OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 1705mm




Cupboard & Open base - 4 Bay

OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 1705mm


Dimensions

High Unit Standard Configurations




Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 2100mm



Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 2100mm



Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 2100mm

*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.




Cupboard base units- 2 Bay

OW 1685mm - Based on 800W Bays
 OW 1885mm - Based on 900W Bays
 OD 500mm
 OH 2100mm



Cupboard base units- 3 Bay

OW 2510mm - Based on 800W Bays
 OW 2810mm - Based on 900W Bays
 OD 500mm
 OH 2100mm



Cupboard base units- 4 Bay

OW 3335mm - Based on 800W Bays
 OW 3735mm - Based on 900W Bays
 OD 500mm
 OH 2100mm