Cable Management



CONTENTS:

Cable Hub	<u>2</u>
Glovebox	<u>4</u>
Wire Basket	<u>5</u>
Cable Carrier	<u>5</u>
Felt Basket	<u>6</u>
Services Mounting Plate	Z
Cable Sleeve	<u>8</u>
Cable Tractor	<u>10</u>
Cable Cover	<u>11</u>
96mm Duct Mounted on Z Bracket	<u>12</u>
96mm Duct Mounted on Vertical Bracket	<u>12</u>
Omni Duct	<u>13</u>
Top Mount Plates	<u>14</u>
Worktop Mount Duct	<u>15</u>
100 x 30 Powerblade & 100 x 50 Powerblade	<u>16</u>
96mm Powerblade	<u>17</u>
Omni Duct Lite 1200L	<u>18</u>
Omni Duct Lite for Kissen	<u>19</u>

Cable Hub - 500mm

Features:

The Cable Hub has two sets of mounting brackets at each end and can be fixed to the worktop. Please ensure it will not clash with other items fixed underneath the worktop such as table support beams or in-desk boxes.

Options:

- Cable Hub
- Cable Hub with Cable Sleeve
- Cable Hub with Tractor

Finishes:

100% Recyclable PET:




Mid-Grey

Powder coated Mounting Brackets:



Black (Fine Texture)

Dimensions:




Cable Hub

Length Range


Depth Range Overall Height 500mm (Internal) 250mm 100mm ; 125mm

530mm



Cable Hub with Cable Sleeve

Length Range Depth Range Overall Height 530mm 500mm (Internal) 250mm 100mm ; 125mm



Cable Hub with Tractor

Length Range
Depth Range
Overall Height

530mm 500mm (Internal) 250mm 100mm ; 125mm

Cable Hub - 950mm

Features:

The Cable Hub has two sets of mounting brackets at each end and can be fixed to the worktop. Please ensure it will not clash with other items fixed underneath the worktop such as table support beams or in-desk boxes.

Options:

- Cable Hub
- Cable Hub with cable sleeve
- Cable Hub with Tractor

Finishes:

100% Recyclable PET:




Mid-Grey

Powder coated Mounting Brackets:




Black (Fine Texture)

Dimensions:




Cable Hub

Length Range Depth Range Overall Height 980mm 950mm (Internal) 250mm 100mm ; 125mm



Cable Hub with Cable Sleeve

Length Range Depth Range Overall Height 980mm 950mm (Internal) 250mm 100mm ; 125mm



Cable Hub with Tractor

	Length Range
Depth Range	Denth Panae

Overall Height

980mm 950mm (Internal) 250mm 100mm ; 125mm

3

Glovebox

Glovebox with or without Power Plate Features:

The Glovebox is a formed PET cable dump in a fixed size. A low cost and less capacity alternative to the power plate is to order the Glovebox 'without power plate' and then separately order the Services Mount Plate.

Options:

• Power plate for housing CMS soft wiring sockets


Finishes:

100% Recyclable PET:



Mid-Grey

Dimensions:



Depth Range Overall Height 876mm 325mm 152mm

Wire Basket

Wire Basket - 950mm Features:

Wire Baskets are made of wire mesh folded into a range of standard basket sizes. The worktop mounting brackets are welded to the mesh and the basket is then powder coated. The basket height/depth depends on the worktop mounting brackets.

Options:

- Single Sided
- Double Sided


Finishes:

Powder coat:



Cool White (Satin)

Dimensions:



50mm

Overall Height

Felt Basket

Features:

Felt Basket works in conjunction with a Cable Sleeve or a third party Umbilical to bring the cabling neatly up from the floor into the basket.

Options:

• With or without Cable Sleeve


Finishes:



Grey

Charcoal

Dimensions:



Max in desk box at expandable section: 400L x 150W x 120D

Services Mounting Plate

Features:

The Services Mount Plate is a simple folded sheet metal part to suit required power and data softwiring outlets. The overall plate size is fixed, and are available in two types of plates – dual and quad.

Options:

- Dual plate fit 2x data and 2x GPO .
- Quad plate can fit 2x data and 4x GPO .

Finishes:

Powder coat:



(Satin/ Matt/ Fine Texture)

520mm 25mm 65mm

Chocolate



Fine Texture)

Olive (Matt/ Fine Texture)




Blush Pink (Matt/ Fine Texture)





Indigo (Matt/ Fine Texture)

Dimensions:



Length Range Depth Range Overall Height

7

Cable Sleeve

Features:

The Cable Sleeve brings the cabling neatly up from the underside of the desktop to the cable tray or floor. It pairs perfectly with the 'Felt Basket & Cable Hub', but can also be used independently. The Sleeve is a textured fabric and can safely hold 1 x Power and 2 x Data cables.

Options:

With or without Felt Basket •

Finishes:


Fabric:



Black

White

Dimensions:



Length Range Depth Range Overall Height 25mm 1mm 1000mm

Cable Sleeve with ABS

Features:

The braided Cable Sleeve cleverly conceals the under desk cabling on all Zenith workstations. Designed with a loop at each end to attach the sleeve to the worktop and ducting or floor. Each sleeve can house a maximum of 2 power and 5 data cables. The Sleeve is a textured fabric with a matching ABS guide. It is located inside the braided Cable Sleeve to stiffen the fabric giving it a more rigid appearance. The ABS strip can be removed if desired.

Finishes:



Dimensions:

DIA Length Range 25mm 1000mm

Cable Tractor

Features:


The Cable Tractor carries cables from the duct to the worktop and is mainly suited to height adjustable desks. It comes with end brackets and fasteners and has no internal segregation.


Finishes:

 \bigcirc

White

Dimensions:





Length Range Depth Range Overall Height 50mm 20mm 1000mm

Cable Cover

Features:

The cable cover carries cables from the floor up the workstation/table leg to the underside of the worktop. Plastic clips are screw-fixed to the leg, and an extruded cover pushes on over the cables.

Options:

• Can hold up to 3 power cables or 6 data cables

Finishes:

Plastic Clip: Black Matte

Powder coat:





Gum Grey

Rust

(Matt/



Cool White Warm White Cool Grey (Satin/ Matt/ Fine Texture) (Matt)

(Satin/ Fine Texture) (Fine Texture)



(Matt)

Chocolate Burnt Umber (Matt/




Blush Pink (Matt/ Fine Texture) Fine Texture)



(Matt/ Fine Texture)

Dimensions:



Length Range Depth Range Overall Height

49mm 34mm Calculated to suit table/workstation type & height

Fine Texture)

Olive (Matt/ Fine Texture)

Timber:



11

96mm Duct Mounted on Z Bracket / Vertical Bracket

96mm Duct Mounted on Z Bracket

Features:

The 96mm Duct can be fixed to the worktop using Z-brackets. The Z-brackets offset the duct to give flexibility in the mounting position and avoid other items under the worktop.

Finishes:

(Satin/ Matt/

Fine Texture)

Fine Texture)

Olive


(Matt/ Fine Texture)

Dimensions:

Length Range

Depth Range

Overall Height



Cool White Warm White (Matt)



Black

(Satin/ Matt/

Fine Texture)

Monument

(Matt)

Burnt Umber Chocolate (Matt/

Blush Pink (Matt/ Fine Texture)

(Matt/ Fine Texture)



Sky Blue Indigo (Matt/ Fine Texture) (Matt/ Fine Texture)

Side View

(Satin/ Matt/ (Matt) Fine Texture)

Cool White Warm White

Features:

Finishes:

Powder coat:

Chocolate Burnt Umber (Matt/ (Matt/ Fine Texture)

Blush Pink (Matt/ Fine Texture)

Cool Grev

(Satin/

Fine Texture)

96mm Duct Mounted on Vertical Bracket

other items under the worktop.

The 96mm Duct can be fixed to the worktop using vertical

brackets. The Vertical Brackets provide a smaller footprint

and give flexibility in the mounting position and avoid

Rust (Matt/ Fine Texture)

Gum Grey

(Fine Texture)

Sky Blue (Matt/ Fine Texture)

Monument

(Matt)

Indigo (Matt/ Fine Texture)

Black

(Satin/ Matt


Fine Texture



(Matt/ Fine Texture)

Fine Texture)

Dimensions:



Depth Range Overall Height

149mm 160mm

500-2700mm 236mm 160mm

Omni Duct

Features:

Omni Duct has 3 rows of formed detail in the tray so that power and data can be segregated in the separate rows. Double or Quad GPO Inserts clip into Omni Duct.

Options:

- Cable Divider can be specified for physical separation in Omni Duct
- With or without plates

Finishes:

Powder coat:



Chocolate Burnt Umber

(Matt/

Blush Pink (Matt/ Fine Texture) Fine Texture)




Rust

(Matt/



Indigo (Matt/ Fine Texture)

Dimensions:



Length Range Depth Range Overall Height Variable 300mm 88mm

Fine Texture)

(Matt/



Top Mount Plates

Features:

Top Mount Plates are folded sheet metal parts which fix to the underside of the worktop to house power/data outlets. The Top Mount Plates are designed to seamlessly integrate with other cable management products such as the Worktop Mount Duct.

Finishes:

Powder coat:











(Satin/

Blush Pink

(Matt/ Fine Texture)



Cool White Warm White (Satin/ Matt/ (Matt) Fine Texture)

Burnt Umber

(Matt/ Fine Texture)



Rust

(Matt/ Fine Texture)

Monument Black


(Matt)


(Satin/ Matt/ Fine Texture)

Sky Blue Indigo

(Matt/ Fine Texture) (Matt/ Fine Texture)

Dimensions:





Suits CMS/Elsafe 1x Data

CMS/Elsafe

Top Mount Plates
Length Range
Depth Range
Height Range

410mm 284mm 90mm

Olive

Chocolate

(Matt/ Fine Texture)

Worktop Mount Duct

Features:

The Worktop Mount Duct is a simple folded steel cable tray compatible with multiple different power/data requirements and other cable management products such as the Top Mount Plates. The underside of the duct comes with attachment points for an umbilical to the floor.

Finishes:

Powder coat:









(Matt)

Sky Blue

(Matt/ Fine Texture)

Cool White Warm White (Satin/ Matt/ Fine Texture) (Matt)

(Satin/ Fine Texture)

(Fine Texture)

Rust

(Matt/

Fine Texture)

Monument Black (Satin/ Matt/ Fine Texture)

Indigo

(Matt/

Fine Texture)

Chocolate Burnt Umber **Blush Pink** (Matt/ (Matt/ Fine Texture)

Fine Texture)




(Matt/

Fine Texture)

Olive (Matt/ Fine Texture)

Dimensions:



Length Range Depth Range Overall Height 660mm 324mm 110mm to suit CMS/Elsafe top mount plates



100 x 30 Powerblade & 100 x 50 Powerblade

100 x 30 Powerblade

Features:

100 x 30 Powerblade is designed to bring cabling in from the ceiling to the workstation. It can be fitted from floor or bottom of screen up to the ceiling. Can be compatible with S30 screen as well.

Finishes:







(Satin)



Black

(Satin/ Matt)

Cool White Warm White (Satin/ Matt) (Matt)

Cool Grey Monument (Matt)

Dimensions:



Length Range Depth Range Overall Height 100mm 30mm Any height (Can go to the ceiling)

100 x 50 Powerblade Features:

100 x 50 Powerblade is designed to bring cabling in from the ceiling to the workstation. It can be fitted from floor or bottom of screen up to the ceiling. Can be compatible with S50 screen as well.

Finishes:

Powder coat:








Cool White Warm White (Satin/ Matt) (Matt)

Cool Grey Monument (Satin) (Matt)

Black (Satin/ Matt)

Dimensions:



Length Range Depth Range Overall Height 100mm 50mm Any height (Can go to the ceiling)

96mm Powerblade

Features:

The 96mm Powerblade carries cables from the access floor to the 96mm Duct. The 96mm Duct can be fixed to the desk frame or the worktop (depending on the desk system). 96mm Powerblades are available in the following types:

Silhouette 720H or 750H (suits any 96mm duct on • Z-brackets or vertical brackets mounted to the worktop - therefore can be used on other desk frames such as Kissen, Epic Plus)

Finishes:






(Satin/ Matt)

(Matt)

(Satin/ Matt)

Dimensions:



Length Range Depth Range Overall Height 96mm 60mm Any height (Floor to workstation)

Omni Duct Lite Work Top Mounted

Omi Duct Lite Features:

The Omni Duct Lite WTM (Work Top Mounted) is a versatile cable tray which can hinge open in two directions to allow access to cabling. The ends of the duct are supported by folded steel brackets which fix to the underside of the worktop.

Finishes:

Powder coat:



Olive (Matt/ Fine Texture)











Cool White Warm White Cool Grey (Satin/ Matt/ (Matt) (Satin/ Fine Texture) Fine Texture)

Gum Grev (Fine Texture)

Monument Black

(Matt) (Satin/ Matt/

Fine Texture)

Burnt Umber Blush Pink

Chocolate (Matt/ Fine Texture) (Matt/ Fine Texture)



(Matt/ Fine Texture)






Rust







OW	1190mm
OD	300mm
ОН	114 5mm

Omni Duct Lite for Kissen Frame Mounted



Chocolate (Matt/

(Matt/ Fine Texture) Fine Texture)

Omi Duct Lite

(Matt/ Fine Texture)


(Matt/ Fine Texture)

Indigo (Matt/ Fine Texture) (Matt/ Fine Texture)

Black

(Satin/ Matt/ Fine Texture)

Dimensions:



Length Range Depth Range Overall Height Variable 300mm 88mm



(Matt/ Fine Texture)