

Features:

The refined leg design of Orbis has the ability to support individual and team based work modes. With sit-stand electric, fixed height, tech and winder adjust, this leg system is highly flexible. Working with CTRL, Precinct, Glovebox and the Framed screen ranges; this system can easily be transformed and customised to meet your individual requirements.

Options:

- 180°, 120°, 90° & Orbis Pie configurations
- Fixed Height, Tech Adjust, Winder Adjust or Electric Adjust
- Worktop in 25mm
- Floorsight pucks and sensors
- Legs with feet have 10mm of levelling adjustment, Fixed Height and Tech Adjust with no feet have 50mm of levelling adjustment
- Castors: 180 Degree single desk only
- Screens: Compatibility depends on workstation configuration type. Refer to Zenith Screen Matrix
- Cable management: 96mm duct, Cable Tray & Duct Bridges, Glovebox with/without internal powerplate, Wire Basket, Umbilical and Cable Sock. Compatibility depends on workstation configuration type. Refer to Zenith Cable Management Document
- CTRL Rail compatibility: Double sided rail (1-way or 2-way brackets), worktop mounted and pod mounted

Design: ZENITH DESIGN STUDIO

Warranty: 10 years

Certification: GECA, Greenguard, PEFC, FSC, AFRDI

Load Rating: Maximum dynamic load limit for all winder & electric desks is 100kg including the worktop weight.

Finishes:

Worktop: 25mm laminate, veneer or custom top Lea & frame: Powder coated in Zenith House Matt/Satin/Fine Texture range Custom colours available upon request Stocked models and colours may vary

Zenith House Powder Coat:













Cool White Warm White (Satin/

Cool Grey (Satin/ Fine Texture)

Gum Grey (Fine Texture)

Monument (Matt)

Black (Satin/ Matt/ Fine Texture)













Chocolate (Fine Texture)

Burnt Umber Blush Pink (Fine Texture)

(Fine Texture)

Rust

Skv Blue

Indiao



Olive (Fine Texture)

Fine Texture is not suitable on Orbis Electric Adjust workstation



180 Degree Single


Length Range: 900-2700mm


1200-2400mm (Electric Adjust)

Depth Range: 600-900mm

These measurements apply to all worktop sizes within the Orbis range.









Run of 2*

Run of 3*

Run of 4*





Run of 5*


Run of 6*


Height Range

Fixed Height: 720mm*
Tech Adjust: 610-900mm
Winder Adjust: 610-900mm
Electric Adjust: 620-1230mm

Note: * Run of 2, 3, 4, 5, 6 is only available in Fixed Height









Pod of 2

Pod of 4

Pod of 6





Pod of 12

Height Range

Fixed Height: 720mm*
Tech Adjust: 610-900mm
Winder Adjust: 610-900mm
Electric Adjust: 620-1230mm

Note: * Pods of 4, 6, 8, 10, 12 is only available in Fixed Height



120 Degree Single


Width Range: 1200 - 2100mm

1200 - 1700mm (Electric Adjust)


Length Range: 1200 - 2100mm

1200 - 1700mm (Electric Adjust)

Depth Range: 600 - 900mm



Pod of 3



Pod of 9*


Height Range

Fixed Height: 720mm*
Tech Adjust: 610-900mm
Winder Adjust: 610-900mm
Electric Adjust: 620-1230mm

Note: * Pod of 6 & 9 is only available in Fixed Height



Pod of 2



Pod of 6*



3 End Left Hand

Width Range: 1200 - 2700mm

1200 - 2100mm (Electric Adjust)


Length Range: 1200 - 2700mm

1200 - 2400mm (Electric Adjust)

Depth Range: 600 - 900mm




3 End Right Hand



Pod of Two

3 End Left Hand & 3 End Right Hand




Pod of Four

2x 3 End Left Hand & 2x 3 End Right Hand

Height Range


Fixed Height: 720mm
Tech Adjust: 610-900mm
Winder Adjust: 610-900mm
Electric Adjust: 620-1230mm

Orbis Pie



TRI-POD 3

Worktop Length: 1100mm - 1300mm Worktop Depth: 500mm - 600mm Overall Depth: 1025mm - 1300mm




RND-POD 3

Worktop Length: 1100mm - 1300mm Worktop gap: 75-100mm




120-POD 3-2 LEG

Worktop Length: 1100mm - 1300mm
Worktop Depth: 600mm - 750mm
Overall Depth: 1225mm - 1600mm



RND-POD 4

Worktop Length: 1100mm - 1250mm Worktop gap: 25 - 100mm



SQR-POD 4

Worktop Length: 1100mm - 1300mm Worktop gap: 25 - 100mm

Note: PIE Shaped configurations only avaliable in Electric adjust

Height Range: 620mm - 1230mm (Electric Adjust)