

# MAKR Storage & Divider System



## Features:

Agile flexible spaces require highly configurable storage solutions, and MAKR Storage & Divider System fulfills this need with finesse. Its modular design allows for effortless customisation, enabling businesses to tailor their storage layout to suit evolving demand. Available in four unit heights Low 915mmH, Mid 1310mmH, High 1705mmH & Tall 2100mmH.

Through strategic placement, MAKR storage units also delineate specific work zones, fostering a sense of privacy for diverse work styles and tasks.

Be the maker of your storage solution and make your office work for you with MAKR.

## Component Options:

- Open Units
- Joinery Cupboards with pull handles or push latch (lockable) and Internal Shelving & Dividers
- Side/Back Panels
- Whiteboard
- Planter Units
- Shelving

**Design:** ZENITH DESIGN STUDIO

**Warranty:** 5 years

**Certifications:** GECA, Greenguard

## Finishes:

Frame & Metal Shelving: Powder coated in Zenith house Fine Texture range

Laminate Shelving: 25mm Zenith house laminates

Open unit, Cupboards, Internal shelves/Dividers: 18mm Zenith house laminates

Planter & Door Handle: Powder coated in Zenith house Fine Texture range (matching frame colour)

Side/Back Panels: Fabric wrapped panel: Upholstered in Sunday fabric range  
Metal panels: Powder coated in Zenith house Fine Texture range (matching frame colour)  
Sonic Board panel: 12mm Zenith house Sonic Board range  
Whiteboard: White writable surface (non-magnetic)

Refer to page 2 for Finishes options

## Finishes

### Zenith House Fine Texture Range



### OTE Fabrics - Sunday Fabric Range



### Zenith House Sonic Board



### Zenith House Laminates Range

#### Standard holdings


- Cherry Wood 1471
- Light Maple wood 2358
- Maple Wood 0413
- Olive Wood 5024
- Standard White 1630
- Standard Grey 3203

#### Ankle Laminates




## Components

### Planters



#### Shallow Planter

OW 800/900mm  
OD 440mm  
OH 200mm




#### Full Tier Planter

OW 800/900mm  
OD 440mm  
OH 395mm


\*Note: Shallow planters are designed to be fixed on the 2nd tier upwards.

### Shelving



#### Metal


OW 800/900mm  
OD 440mm  
OH 25mm



#### Laminate


OW 800/900mm  
OD 440mm  
OH 25mm

### Side/Back Panels




#### Back Panel Metal

OW 800/900mm  
OD 1mm  
OH 370mm




#### Back Panel Fabric/Sonic Board

OW 800/900mm  
OD 12mm  
OH 370mm



#### Side Panel

OW 430mm  
OD 12mm  
OH 370mm




#### Whiteboard

OW 800/900mm  
OD 20mm  
OH 1210mm

\*Note: Against wall: Back panel only  
Freestanding: Front/Back panel only


## Components

### Joinery




#### Open Unit

OW 800/900mm  
OD 440mm  
OH 420mm




#### Single Cupboard

OW 800/900mm  
OD 460mm  
OH 420mm




#### Low Cupboard

OW 800/900mm  
OD 460mm  
OH 815mm




#### Mid Cupboard

OW 800/900mm  
OD 460mm  
OH 1210mm




#### Tall Cupboard

OW 800/900mm  
OD 460mm  
OH 1605mm



#### High Cupboard Type A

OW 800/900mm  
OD 460mm  
OH 2000mm




#### High Cupboard Type B

OW 800/900mm  
OD 460mm  
OH 2000mm

\*Note: Joinery Cupboards to include handle and locking options. All units can be lockable with 'keyed alike' or 'keyed to differ' locks. The 'LH and RH door lock' is an individual lock on each cupboard door and can only be used when there is a vertical divider within the cupboard. Joinery cupboards have the option for internal dividers.


## Dimensions

### Low Unit Standard Configurations




#### Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm



#### Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm



#### Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm

\*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.




#### Cupboard base units - 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm



#### Cupboard base units - 3 Bay

OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm



#### Cupboard base units - 4 Bay

OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm



#### Cupboard & Open base - 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm



#### Cupboard & Open base - 3 Bay

OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm




#### Cupboard & Open base - 4 Bay

OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 915mm

\*Customisable configurations available - Please contact your nearest Zenith showroom


## Dimensions

### Mid Unit Standard Configurations




#### Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays  
OW 1885mm - Based on 900W Bays  
OD 500mm  
OH 1310mm



#### Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays  
OW 2810mm - Based on 900W Bays  
OD 500mm  
OH 1310mm



#### Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays  
OW 3735mm - Based on 900W Bays  
OD 500mm  
OH 1310mm

\*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.




#### Cupboard & Open base - 2 Bay

OW 1685mm - Based on 800W Bays  
OW 1885mm - Based on 900W Bays  
OD 500mm  
OH 1310mm



#### Cupboard & Open base - 3 Bay

OW 2510mm - Based on 800W Bays  
OW 2810mm - Based on 900W Bays  
OD 500mm  
OH 1310mm




#### Cupboard & Open base - 4 Bay

OW 3335mm - Based on 800W Bays  
OW 3735mm - Based on 900W Bays  
OD 500mm  
OH 1310mm

\*Customisable configurations available - Please contact your nearest Zenith showroom


## Dimensions

### Tall Unit Standard Configurations




#### Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm



#### Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm



#### Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm

\*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.




#### Cupboard base units- 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm




#### Cupboard base units- 3 Bay

OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm



#### Cupboard base units- 4 Bay

OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm




#### Cupboard & Open base - 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm



#### Cupboard & Open base - 3 Bay

OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm




#### Cupboard & Open base - 4 Bay

OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 1705mm

\*Customisable configurations available - Please contact your nearest Zenith showroom


## Dimensions

### High Unit Standard Configurations




#### Open Shelving - 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 2100mm



#### Open Shelving - 3 Bay


OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 2100mm



#### Open Shelving - 4 Bay


OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 2100mm

\*Note: If a bay uses open shelving only, a minimum of 1 metal back panel is required for that bay at any tier.




#### Cupboard base units- 2 Bay

OW 1685mm - Based on 800W Bays  
 OW 1885mm - Based on 900W Bays  
 OD 500mm  
 OH 2100mm



#### Cupboard base units- 3 Bay

OW 2510mm - Based on 800W Bays  
 OW 2810mm - Based on 900W Bays  
 OD 500mm  
 OH 2100mm



#### Cupboard base units- 4 Bay

OW 3335mm - Based on 800W Bays  
 OW 3735mm - Based on 900W Bays  
 OD 500mm  
 OH 2100mm

\*Customisable configurations available - Please contact your nearest Zenith showroom